INSTALLATION RESTORATION PROGRAM PHASE II - CONFIRMATION/QUANTIFICATION STAGE 2

VOLUME IV

LUKE AIR FORCE BASE, **ARIZONA**

Roy F. Weston, Inc. West Chester, Pennsylvania 19380

JUNE 1988



FINAL REPORT FOR PERIOD SEPTEMBER 1986 TO JUNE 1988

Approved for Public Release: Distribution is Unlimited

PREPARED FOR:


HEADQUARTERS TACTICAL AIR COMMAND COMMAND SURGEON'S OFFICE (HQ TAC/SGPB) LANGLEY AIR FORCE BASE, VIRGINIA

UNITED STATES AIR FORCE OCCUPATIONAL & ENVIRONMENTAL HEALTH LABORATORY (USAFOEHL) **TECHNICAL SERVICES DIVISION (TS) BROOKS AIR FORCE BASE, TEXAS 78235-5501**

9 19 053


| you and the second seco | 1 | | · | Street and the |
|--|---|---------------------------------------|---|----------------------------|
| EWELERICO | liorn Hote | Aber | | |
| ELECTRIC LOS | Scale Dr | | AESISTIVITY ohms, m ³ /m | MENNIANCI. Detail Curve |
| COMPANY MALLY BELLY INC. THE | de Changes Sede Up Hole | Teil Perition | AE.s | Ž |
| STATE STATE COUNTY STREET | 5 | Louise of Type | | 9 |
| F-Loci Campa-Ray | To API AP | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | PRESISTIVITY OHMS, MI/M IORT NORWAL ISTRAL | IATUAU GARANA GARANA |
| Common C | Trpe Los | 1 | RESISTIVITY Ohms, m/m SHIGKT NORMAL ISTRACT | |
| och-Driller 1775' 487.5' | This Bending and | | | |
| ASING—Detilier (1/0" © 501 (5/8 © 374") ASING—Logger (5 0 1/8 © 572") 1 Sine (5 7/8") Type Fluid in Hole (NATER) WATER | | | Deptha | |
| Denia Visc. V/A | Additional Samples | 202-09 | POTENTIAL 13 | + |
| | 1 1 5 1 | Kota Ordinal Tanip Tanip | ANEOUS | |
| Line Circ. Line 2 | PELLARYS Charges in Bod Type Date [Ser. ple No. | | SPONT | |
| ricered by | | | | |


RELINTANCE Detail Curve V LONG NORMAL 61 Inch ٧. -_; .. : 1.300 000 500 111



| Gan | ())) () () () () () () () () | 1-Re | gy muzi | | alifo | ci | |
|---|---|------------------------------------|---------------|-------------|-------|--------------|--------------|
| , ur | COMPANY, | <u> </u> | 7-76.2 | | | | 4 |
| | УМL | -13 <u></u> <u>-</u> 1 15.2083. | | | | | |
| | ~AA | 1 1 N. A. 18 3 | | | | | - |
| | | | | | | | - : |
| | | - E A.F.F. | | | C | | 7:1 |
| _ | | | | | | r. 21:475 | |
| | | | | | | | 311 |
| | <u>Saba</u> | | 2 | | : :: | | 3.11 |
| | | | | 37.37 | 1- | | -11 |
| | | | | 20 | | | -111 |
| er same and | | | * + . | | - | | <u> </u> |
| 76 1 Carr #4 | | | | | | | |
| rica inserii in se riii inserii inseriin | · - | | | <u></u> | _ ! | | = 111 |
| ***** | | - 1 | | 11.8 | + | | |
| The limit one | ' | | | 4 <u>21</u> | + | | <u> </u> |
| | | | | | | | -{ } |
| .T | i | | _ | | HC0-0 | |] |
| | | 16 | 1 | ==1 | ••• | 10 | ∃ !' |
| | April 1 | | | ! | | | |
| | | | {}- | | | | 1 |
| | | | - | - F- | | | 3¦ |


| | Equivals: AAA | (A) | 1. (And O. M.) | | | | | | | | | The second secon | | | | | | | | | | | | N. CO. C. | CONTRACTOR OF THE CONTRACTOR O | |
|--|---------------|---|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|
|--|---------------|---|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|







ASKEER. Scale Duan Hore 614.6 WW. Lawrence RESISTIVITY oftens, milm REALSTANCE Detail Curve ELECTRIC LOG de F Run'No, Tem Type Laffyje Teo Peaton Scale Changes EVETS DRILLS TE VELFE IL A. Depth 01-18 3184-(85 TUKE A.F.B. 6' LATERAL GUMMA-RAY C. DIDER RESISTIVITY obms. milm SHOKT 24 JAMAI LONG NORMAL can en fed con fr This Heading and Long Conform G.L. G.L. 1/2 60 D F... G L _ | 10-79-86 | 375' | 375' | 242' | 30' .0-.0-86 (%0 497.5* Kun No.
Elepth—Driller
Depth—Logger
From Log seter.
Top Log Inter. 191 (puha Caung - Louier Cosing - Logger Bit Sise Type Fluid in Holo Charges in Mud Type or Adilliceal Samples
Die Sample No
1780A—Deller
5 pr Faid in Heis Ē SPONTANCOUS POTENTIAL nullivous Or Faul Com 1111 REMARKS


.....





| - 4 | | . 1 | | | | | | | | | | | | |
|-----|---|--|---------|--|-------------------------------------|------------|---|--------------------|--|----------------------------------|--------------------------|---------------------------|---|----------|
| X | EWELDONESHIES LOG | | | Seite Down Hole | | | a Other | | | RESISTIVITY ohms. m'/m | | RFSISTANCE Detail Cure | | |
| | COMPANY SIVIL PRILITY. INC. WRI 103 HELD LINE AIR FONCE BASE | | | Leals To Hote | | | Imani Data Type Tool Position | FRE | | £ 6 | | P. C. | | |
| | | ading and Lag Conform To A 21 AP 31 Ap | | Type Log Depth and | | | P Real No. Tool Type Fad 1 | T TWO BLECTRIC LOS | and the state of t | RESISTIVITY ohms, m'im | SHURT NORMAL 16 Inch 50 | LONG NORMAL 90 | | |
| : | 100 100 | ř | | - | | - | | • - | | Doptha | | | Super Control of the | <u>0</u> |
| | NY Note | Pold Here | REMARKS | Changes in Mad Type or Additional Sumples Date Sample No. | Dipith-Driller Type Maid in Kole | Done. Viet | Ameres of Mample & P. Rus & G. F. Barres & C. F. Barres & G. F. | Source Har Lan | A. BHT A. BHT A. CALCA IN HALF AT HOTTON ON | SPONTANEOUS POTENTIAL millivoite | ~ 1 | - | | |







| 183 | | ·· | 1 | | | - **** | - ** |
|---|---|---|--------------------------------------|--|--|--|------|
| FILING NO | WELL-ENGINEERING SUFFEED LOOKANY REYLIK DRILLING, INC. | | | edie Up field Seite Bown Reit ament Drie Pos Poulten | I KEL | RESISTIVITY ohms. m//m | 100 |
| | TATE ARIZONA COUNTY MA | & LCOPA | | Scale U Scale U Scale U Scale U | | | |
| Fermanent Datum: Log Measured Prom. Driling Measured Pro Data Run No. Depth—Driller | TWP RGE G.L. Elev G.L. 0 PL Above Perm. De 10-26-86 ONE 126' | OTHER SERVICES CALLIPER GAMMA-RAY E-LOX Elev.: K B | iding and Log Conform To API RP 31 4 | Seal Type Log Dupta Seal Seal Seal Seal Seal Seal Seal Sea | | RESISTIVITY ohms. m ¹ /m | 50 |
| Depth-Logger Bun Log Inter. Top Log Inter. Casing-Driller | 336' 335' 50' 10" • 20' | • • | TNo H | |) | Depths | |
| Casing—Logger Bit Stee Type Finid in Hole Dena. Vinc. pH Fluid Lone Source of Sample An @ Mean. Temp. Rang Mean. Temp. Rang Mean. Temp. Source: Rang Rang Rang BHT Time Since Circ. Max. Roc. Temp. Logup. Location Recertified By Witnessed By | 16 3/4"/ 9 7/8" WATER | | | Chages in Mud Type or Additional Samples Dela I Sample No. Deph.—Driller Type Fauld in Hole Denn. Vier. | © Krail Tamp. Tri: Rail Tamp. Bill Tamp. E fill Tamp. | SPONTANEOUS POTENTIAL millivolts 5 | |

-

4





EWEJERIEGE

LUKE AIR FORCE MASE

LUKE A.F.B.

WELL ENGINEERING SURVEYS WELL

Gamma-Ray


Caliper


SURF

| sec | TWF | ted | E-LOG LATERAL |
|----------------------|----------------------|------------------------|------------------|
| 106 MARKET POM | G.L. G.L. G.L. | O T. ABOVE PERM, BATUR | 518V., Ed |
| BATI | 10-26-86 | 10-28-86 | 1 |
| M.M. | ONE | TWO | |
| TF4 L08 | GAMMA-CALTE | ER GAMMA-CALIPE | R |
| DOTTLOWILDE | 346' | 420* | |
| 9471LL00000 | 336'. | 419' | |
| | 335' | 417' | |
| TOP LOGGED PATERNIAL | ้อ | 350' | |
| TYPE PLUIS HE HOLE | WATER | WATER | |
| MAE MC THAP, DOG. F. | 17/A | 5/A | |
| HCOMP BY | CORDELL | CORNELL | |
| Section (Section 2) | MR. S.E. JA | KATI 'G, G HILL | |
| EUH BORS- | HOLE RECORD | CASH | g eticoep |


| | | | | EQUIPMENT DATA | DATA | | | | |
|-----------------------|-------------|-----------|----------|----------------|--------------------|------------|----------|------------------|-----------|
| | Gamma Ray | Ray | | <u> </u> | | | Neutron | | |
| Run No. | ONE | | - | ~ | Run No. | _ | | | |
| Tral Model No. | CCN27AX1.45 | , | | 1 | Log Type | | | | |
| Diameter | 1.11/16" | | | 1 | Tool Madel No. | | | | |
| Detector Mariel No | | | | | Diameter | | | | |
| Type | ē | | 1 | ٤ | Detector Model No. | | | | |
| Length | 18. | | | | Type | | | | |
| Distance to N. Source | | | | | Lungth | | | | |
| | ļ | | | C. | Source Model No. | + | | | |
| | Ceneral | | | | Serial No. | 1 | | | |
| Hart Truck No | ["] | | | 1 | Syacing | 1 | | | |
| Indiament Truck No. | 91 | | 1 | | Type | <u> </u> | | | 1 |
| Teel Serial No | | | 1 | | 1 | | ļ | - | - |
| | | | | LOGAING DATA | NATA. | - | | ; ; t ; | - |
| General | _ | - | | Camma Ray | | _ | | Neutron | |
| | Speed | 4 7.C. | | Zero | API G.R. Units | T C | Sens. | Zero | APIN. U |
| No. From | To Ft/M | | Settings | Div. Lor R | per Log Div. | <u>ئ</u> و | Settings | Div. Lor R | per Log I |
| 335 | 57 ,02 | ~ | 250 | 4,1 | 70 | | | | |
| 2 417 | | 7 | 250 | 41, | 20 | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Reference Literature: | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| D. Hanthe | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | Fold Here | ,Le | | | | |
| | | | | | | I | | | |

....






| 16 | SARA PARA | | 1 1 1 () o o | | | | | |
|--|------------------------------------|-------|--|--|--|---------------|---|----------|
| fue de | MEELISMESSES 1000 HUMOTRIG 1000 | | Principle | 1.00 | RESISTIVITY ohms. ni ⁱ ln: | | Print(Cave | |
| ming no | CC | | Charter Se Up it do | Pictures in the Principal | RESt | | e (% | |
| | STATE | (| | To be designed to the second s | | <i>-</i> | | <u> </u> |
| Sepression Da | From Cole 2 Pt Aigre Form Datum | COMPA | 15: (912-15-A7) A.P. 15: (4) A. | | RESISTIVITY ohms, milm | Short Section | 5 T T T T T T T T T T T T T T T T T T T | |
| Deniung Means Liete Lun No. Liepulin Delle Liepulin Logge From Loggistin | | | Pact Part | 6 7/2 c 1 c 1 c 1 c 1 c 1 c 1 c 1 c 1 c 1 c | £ 0 | Sho | <u> </u> | |
| Try lag leter Cea ng-bmili Caaing-lags | 7 | | | - | Deptha | | | 1 |
| pH r'an | | | EXALS Converted to 1 per or additional Stangists Experience of the conditional Stangists Experience of the conditional Stangists Experience or additional St | | SPORTALE OUS POTENTIAL MILITROPORT | ÷ | - | |






| Banima-Ray Califier | |
|--|--|
| SCOTTON TO THE STATE OF THE STA | |
| Processor Common | |
| The control of the co | |
| | |
| 20 mg 11 mg | |



| | ė . | | | (| |
|---------------------------------------|-----|---------------------------------------|---|---|-----|
| \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | | | | 11! |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | · · · · · · · · · · · · · · · · · · · | ! | | |
| | | | | | |

| E.W. Gamma | | | | | £ - 1 | i ler |
|--|----------------------------|--------|-------------------------|-----------------|---------------------|----------|
| COMPANY | FEV. 78 83, 19 1 | | 10 | | - - | |
| Man. | LAME AL ARIZONA | | | ARICOP A | | |
| IDCATIONA | LUNE A. | F.8. | tol | | ELFC | PEIC LOG |
| TALMENT DATIMAL NO MEASURED PICEL PILLING MEASURED FIORL | G.L. G.L., O' G.L. | | , MOVE 1984 | | 07. CA 83 8 L | |
| 47) /w MO. | 12-2-56 03E | | : - ; : - ; | - 56 | - | |
| THE LEVE | 154" | PER | 73 °C | MATER | | |
| SAMALL OFFICE THE STORE OF THE SAME OF THE | 1531 | | 23.7' 22.4' 15.0' | | + | |
| THE PLANS IN HOUSE ALC NOT TEMP, BOS. F | DESTOR | | WNE | R | | |
| KOMBE BY | CORNELL | PR, Γ. | Cost Sameth | | 1= | |
| UH BORS-HTM | 14(3) | l | | CAL-00 | | |
| o ut nos | 10 | 10.2/ | | Mod | | 10 |

| Comm lay Equipm | | the section of the se | | Neutron | | last Mole No. | | or Model No. | n l du | Nielel No | Staring | Type Competent | | no. Line. | 20.00 | 7- | (4) | | | | | | | GAUNER |
|--|-----|--|----------------|---------|--------|---------------|--------|--------------|-----------|-----------|---------|-------------------|--------------|------------|--------|----|-----|--|-----------------------|---|--|--|---|----------|
| General Lay (General (Ge | .06 | | EQUIPMENT DATA | | T so ! | | ا الله | Ty | - | Source | 100 | | TAUTURE DATE | Gamera Hay | 2,00 | 5: | 1 | | | | | | | |
| | | | | Itay | 180 | | | ł | | | 2 | | | | Ų į | - | | | | | | | - | DESTRA |
| Figure 1 Transfer 1 Tr | | 3 | | Munus) | - | - | | - | N. Saurer | | | k Na. | | _ | 14,141 | c | | | Reference faterature: | : | | | | AVI Saav |




| A | | | y | | |
|---------|-----|----------|--|-----|--|
| | | | | | |
| | | <i>J</i> | | | |
| | 150 | | | ^ | |
| V V () | | | The state of the s | */\ | |


| . <u>(#</u> . 945) | 10/1 | | | | |
|---|---|------------|----------------------------|--|--|
| Basel Basel | WAS CHECKE | B 3 | Seele from Hole | Ohar | Tivity m'im Avce Curv. |
| FRING NO | COMPANY REYLIN INCLUDE WELL SO, 1 \$ FRED LINE ALL LONGE LANE | | le Changes Raie Up Hole | Prest Data (Fig. 1 Failian 1 Prints 1 P | RESISTIVITY ohms. m/fm ohms. m/fm RESISTA VCE Petail Curve. |
| | STATE APPLICATION COUNTY MINISTER APPLICATION I LIKE A.F. K. | | To API RP 31 . P | Emil 10 Type Full 10. | STIVITY NORMAL N |
| Ferr seent Datum Log Measured Fri Drilling Measured Pata Run No. Depth—Driller | ora 1 1 O' Pt. Above Perm. Datum | | ding and log Contorn | Nin No. 2.16 13x0 | RESISTIVITY Ohms. m/Im SHORT NORMA 16 Inch 16 Inch 64 IR.h |
| Depth Logger from Log inter. Top Log inter. Casing—Drifer Casing—Logger Bi Sise Type Pick in Hole | 142' (29) 153' (272) 56' (172) 100 (18) (0 (155) | | <u> </u> | | Depths CO (1) |
| Dens. Visc. pH Fluid Lo Source of Sample Ruller (d) Ness. Ten Ruller (d) Ness. Ten Ruller (d) Ness. Ten | | | or Additional Sar | No. of No | SPONTANEOUS I OTENTIAL millivoits |


.

. .



| The state of the s | | |
|--|--|--|
| FILECTER C LCC FILECTER C LCC | State Charter Euffront First M Type Tent Finding Ad Type Tent Following Ad | |
| LUNE A.F.B. O'ME SENIOS O' LATURAL CALIPER SEC. TWF MGE GANGS KAY | Type Lot Depth State Colling C | |
| Casing—Logger (3" (6 2)" 6 5/86 (7")" |) - - 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | |
| Bit Stan | SPONTANEOUS POTENTIAL | |





See Low Hote rafie) म् । विशेषः स्थानस्य स्थानस्य । इति स्थानस्य स्थानस्य स्थानस्य स्थानस्य स्थानस्य स्थानस्य स्थानस्य स्थानस्य स्थानस्य RESISTIVITY ohms. m/m ELECTRIC LCG Fed Type Fig Follows 96YLTS 198151 196 Seale Changes 1.6 LINE ATR FORCE WASE ART JOSA MAP TO SPA STATE. Heading and Las Conform To API BF 31 A • '. • . Local LIKE A.F.R. DIRECTRIC LOG CALIPER CASSA RAY RESISTIVITY ohme, m'/m LATTRAL Type Log • [-4 Fula

No. No.

No. No.

No. No.

Loyalan Loyalan

Loyalan

Loyalan

Loyalan

Loyalan

Loyalan

Casang Dyiler

Casang Loyaye

Bit S. sa

Type Prod in Hole 10-31-86 11-2-56 05' 27.1' 34.1' 3841 10... منجب 5 1 k 370 · / 9% 57·11 Courses in Mark Type or Additional Basephole (1974) Triple of Addition WALLS Type Post in rose

Dens. Von.

Dens. Von.

Dens. Von.

Shi Phart Less

Stree of Sample

Stree of Sample

Re phart Temp.

Re phart Temp.

Stree Ke. Tem

Re phart Temp.

Stree Ke. Tem

Re phart Temp.

Stree Ke. Tem


Re phart Temp.

Stree Less

Less Temp.

Less SPONTANFOUS POTENTIAL MILLYONS 13.1 0 • I === -,---


** - - 1




| Common - Ray Califier Common - Pary Common - Pary Califier Common - Pary Common - Pary Califier Com | Commerce - Rang Californ Commerce - Children Californ 10.5 The Line Air Concern Concern Californ C | | PO | | 1.1 | | | + | | - |
|--|--|--|---|--------------------------|-------------|--|---------|-------|------------|---|
| 1/2 | 1/2 | Gamma | -Ray | | | 7 | Neutran | | | |
| C | C C C C C C C C C C | PAR | LOKE AIR FORCE | | CIFCYKIC 10 | T. I. | | 77.7 | 1 3 | |
| Description | SAF TAN | ENGLISHED MARKET MORE C | l. 2' | | _ nm, ch | The state of the s | | ±;2;6 |] 2; | |
| The loans at least page 7. Cont. LT. | | more total | 055 078-0703PER 070 3-21 | 0/R-C**1P 433* | .R | | | | | |
| | | TOP 100000 TH TOP OF THE TOP OF T | U. S. | 3797 8233R Contrib | | | | | | |


| 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 | Digital | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | day in | Professional Profe | AAD N Da |
|--|--|--|---|--|--|---------------------------------------|
| 10 10 10 10 10 10 10 10 | 1 1 1 1 1 1 1 1 1 1 | Million (1977) | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | series, | 2 gelina Leva R | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Special Specia | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | sering: | Land R | 741.N Up |
| 11/1/15 17 17 17 17 17 17 17 | L M | DOGIN | | e de la companya de l | Section 18 (1974) | A 17 N 150 |
| 1 1 1 1 1 1 1 1 1 1 | 1 | Digity Grant By Div. Leat | | Sing | | 7.17 N 152 |
| 1 1 1 1 1 1 1 1 1 1 | Section 2 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | Character 1 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | A Second | Strings | | ATTACK Co. |
| 1 1 1 1 1 1 1 1 1 1 | D. Control of the Con | Digital | | A de la companya de l | | A17 N 150 |
| | Control 1 C C C C C C C C C C C C C C C C C C | Digital | | e Berting | | A11.8 (19. |
| | Control of the contro | Game Illy | 2 X 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | Education of the state of the s | | ATTN Up |
| | 1 C C C C C C C C C C C C C C C C C C C | Deficient Bank | 7 m | e Restaura | | Part N. Co. |
| 1 1 1 1 1 1 1 1 1 1 | 1 C Street | Came 1st | | dentes, | Periton Line Lond | API N. Linus |
| Tring Trin | 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Come lay | E Const | e de la | Evel on By Lond H | APIN Small |
| 1906 1907 | | Georgia II.s. | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | e de la companya de l | Emilian Jord Div Louis | APLN Units |
| 10000000 100000000 10000000000000 | Constant Speed 1 C | G | T total | Edulity. | Period Paris | APP Care |
| Control Cont | Created Crea | [c] | 2 2 2 | e de la companya de l | Parties 13 v Lot R | APIN Cons |
| Company Comp | | e | E Care | e Berling | The Lord | APP Cong |
| Prof. N. Speed T. See Prof. Prof. N. | | | | e de la companya de l | Div Lot R | APP Sints |
| 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | The Lat | * - | e de la companya de l | Div Lot R | |
| | | 1, | | | | |
| TOWNS AND LETTER DEFTURE | | * | | | | |
| PER NOTE OF THE CONTINUE OF THE NOTE OF TH | | | | | ! ! i | |
| FELTINE COLLIES COLLIES | | | | | | |
| DEFINE OF THE STATE OF THE STAT | | | | | i | |
| PERTURN CONTINE | | | - | | - | |
| PROTEST PEPTING CALLIER CALLER | ; | | | | | |
| PER NOTE OF THE CONTINUE OF THE PER NOTE OF TH | | | 1 | | | |
| DEPTHS TO THE CONTRACT OF THE STATE OF THE S | , | | | | | 1 |
| DEFTINS (VALUE) (VALUE) (VALUE) | , | | í | | | 1 1 |
| TOWN THE TOWNS T | | | | 1 | - | 1 |
| DEFTHS P. C. | | | | ١. | | 1 |
| DEFTHS | | | | | | |
| DEFTHS | | | | | | |
| DEPTHS | | | | | | |
| DEFTHS | | Feld Me | | | | |
| | | | | | | |
| | | 2 | đ | | | |
| | 13 (ACTA BAY 15,11) | | | 월 | | |

| | | | | - |
|-------------------------|--------------|-------------|------------|---------------|
| | 114 | ,1 .1 | | |
| | 1 | | | 1 ! |
| | 1 | | | |
| | | | | 1 |
| 1 1111 0 | \mathbf{L} | , i | |) 114 |
| | 1 | | | · · · · · · |
| | ╂╍╌┼ | | | , |
| | 14:4 | + | 1 | 1 |
| | Little | | 111 | , ' |
| | 1:10 | "JT J | • • | 1 |
| | 11 11 | | | !- |
| | إيبانا. | | | 4 |
| 11111 | 1 | | | 1-A |
| | 1.1.1. | . 1 | | 1 : |
| | 1 | i | × '', | 7 |
| 1 7111 77 | 1 | السط | • • • | ・し |
| 1 1111 24 | 7 | | | 1 |
| 1444-5-4 | 14 | | 41. | 12221 |
| | [1] | 100 | | 1 |
| | 1.1 | 1 | | |
| | † : i i | | • • ; • • | |
| 4444 | | ! | | |
| | | 1 | | |
| | | | | |
| | | | 1 | |
| | | | <u>9-4</u> | |
| | | | 1 | in 1 |
| | | | Ti. | |
| | | - 1 | ্ প | 111 |
| 111111 | Ti Ti | | 7 | - 77 |
| 1 1 1 1 1 1 1 1 1 | -114 | · E | : 1 | -, |
| | | 1 | 44.4 | |
| | | :: fi. | ! | |
| | 1 1 1 | . Щ | | 1 |
| 1 7 17 17 17 17 1 | A-1 | : // | ++1 | Title to |
| 1 1 1 1 1 1 1 1 1 1 1 1 | | | | |
| | 1 | 1 | | - |
| | TY | : | | |
| 344 | 71 | <u></u> | | |
| | 77 | 4 | | |
| 344 | 77 | | | |







| ELECTRIC LOG | Reit Dew Hai | ehme, m/m | |
|--|--|---|-----------|
| COMPANT REVEIN GRILLING WELL 106 FIELD LIKE IT FORCE MASE STATE ARIZONA COUNTY MARICOPA | Seal Charges Seal Up Note Legisment Date Field Type Territy Field Typ | | |
| COCAHOM: LIKE A.F.B. Oriest structs CAMMA RAY COLIPER ELECTRIC L(CI C C C C C C C C C | Type Lag Daph | Ahms. milm Ahms. milm 6 - LATTRA1 | |
| Ris Ling Inter. | | Duptha | 6. 100 |
| Part State Par | NEMARS Covered to New Type or Additional Samples Use Shall in Role Day Vice Day William New York Takes Left of New York New York Takes Left of New York New Y | SPONTANEOUS POTENTIAL millivolts + + | |




| Cuang - Driles 1.11 | | WELECT | | | | | Scale Down Hole | | Other | |
|--|---|--|--|------------------|---------|-------------------------|--------------------|----------------|-----------------------------------|----------|
| DOCAPONA LUKE A.F. 8. Colored Services CANMA RAY CALIPER CALIPER | | wau 106 | AIR FORCE DASE | 1000 | | - 191 | | E-ulpment Date | Pad Typa Tool Praition FRI E FREE | |
| Permo seet Date | | | | Othi G/ C/ | MMA RAY | PAPI RP 11 | Depth | | E COLOR | |
| Top Log Ister. 0.3 37.5 - 2 | | ' U.L. - | Elev | | | | ق اا | | f S | |
| Top Log (ster. 0.) 375' - 6 Coung—Dalles 1.8' 20' 6.5/\$ 370.5 Coung—Logger Bit Sint Type Find in dole MALER MID Dena V sc. | Draing Measured F | G.L | 11-5-56 | | |) Jay 1 | ed A | | TWO | |
| Type Find in dole | Driding Measured F Data Run No. Depth—Driller Depth—Logger | G_U. 11-3-86 0NE 370' 351' 4 | 11-5-56 TWO 453' | | | Heading and Los Co | Type | | F DITE | 4. |
| Ru d'acas comb 25 P +2 P 7 Q C 2 P P P P P P P P P P P P P P P P P P | Driding Measured F Data Run Na. Depth—Driller Depth—Logger Brin. Log inter. Top Log later. Coung—Driller Coung—Logger | G_L, 11-3-96 0NE 370 351 40 30 50 60 70 | 11-5-86 T-0 453' 453' 453' 453' 752' | | | This Meding and lose Co | Type | | | 5. S. |
| Register Temp 9 'F 9 'F 9 'F 9 'F | Driding Measured F Data Run Na. Depth—Driller Depth—Legger Brun Legger Brund in dole Dena. V sc. | G_L. 11-3-96 ONE 370' 331' 6330' 13" 23" 65' 1.5" 220' 6A'4ER | 11-5-86 TWO 453' 453' 453' 652' 373' 6 5/49 374, 3 | | • | Ē | Samples | las l | | <u> </u> |
| Max. Rec. Tr.d.; P P P P P P P P P P P P P P P P P P P | Driving Measured F Data Run Na Depth—Driller Depth—Logger Bun Log inter. Top Log later. Cusing—Driller Cusing—Driller Cusing—Driller Cusing—Hogger Bit Size Type Fluid in dole Dena Vec. pH Fluid Loss Source of Survice R. Acan Timp R. Acan Timp | G_L. 11-3-96 ONE 370' 331' OS 1.5' 221' ANSER | 11-5-86 TAO 453' 453' 453' 452' 373' 452' 373' 452' 373' 452' 758' 977' 80' 80' 80' 80' 80' 80' 80' 80' 80' 80 | 1 ml | • | 15 | Additional Samples | las l | | <u> </u> |







| Ę | | | ĮÉ | Œ | EL, | |
|--|--|--|------------|--|---|---------|
| - | | | 3.7 | (C) | | |
| Gar | nma | -Ra | y | | Cali | her |
| | CO | 11.71.16 | F111.5 | MC. | | |
| | - | *106 | | | | |
| | PR | | ir rocc | F KISE | | |
| | FAR | 79.1 087 | | | materia. | |
| | secones. | LIKE A | . 1 . 15 . | - | | LITER-L |
| | . 6, | 1. | | | | |
| | | 1 | | 4077 704 | L 84 Note | , |
| | | L. U' | | | a a hua | |
| | | 11-4-65 | | 11- | . sahus | |
| | |)]+4-8h (0.5 -/R-(A1)) | | 11-1 | . sahus | |
| BUTCHING MEANING BANK INC. TYPE LOS BANK LOS BAN | | 1]+4-8h (0.5 (/R-(A1)) | | 11- 5-0 | 5-8n | |
| BOTTLING MEANING BATTLING MEANING MEAN | | 11-4-8n (0.5 (/R-(A11) 27.5 36.2) | | 11-1 5-0 1-8- 4-3' | S-Sn CALIBER | |
| BOTTOM LOSSES | PROFIT C | 1]+4-8h (0.5 (/R-(A1)) | | 11- 5-0 | S-Sn CALIBER | |
| BOTTLING MEANS BATE BATE AND BOTTLESSALAN BOTTLESSALAN BOTTLESSALAN | POOR C | 11-4-86 (P.E. (P.E. (P.E. (P.E.) 16.2° 36.2° | | 11-1 7-0 178- | S-Sn CALIBER | |
| BOYLLING MEANING TO LONG MEANING MEANI | PORT C | 11+4+66 (0)5 (0)5 (2)5 (2)5 (2)5 (2)5 (3)7 (3)7 (4)7 (5)7 (7)7 (7)7 (7)7 (7)7 (7)7 (7)7 (7 | erk | 11-1 7-0 | S-Sn CALIFER | |
| Berlind MANN DATE SAM IND. TYPE LOS BETTLE-BELLER PETTLE-BELLER FOTOS LOSSES TYPE LOSSES TYPE LOSSES TYPE LOSSES TYPE LOSSES TYPE LOSSES TYPE LOSSES TANK BALL BIC TANK | PORT C | 1)-4-Rh (Y.5-(A-(A1)) 27.5-(A-(A1)) 27.5-(A1) 27 | mk | 11-1 500 118- 2131 4531 -131 | CE, 16 | |
| BATE MANUELLE MANUELLE PARTE ADDRESS OF THE PARTE ADDRESS OF THE PARTE ADDRESS OF THE PARTE ADDRESS OF THE PARTE BACK DOCUMENTS. | PORT C | 11+4+66 (0)5 (0)5 (2)5 (2)5 (2)5 (2)5 (3)7 (3)7 (4)7 (5)7 (7)7 (7)7 (7)7 (7)7 (7)7 (7)7 (7 | mk | 11-1 500 118- 2131 4531 -131 | S-Sn CALIFER | |
| Berlind Stable BARP BAR IND. TYPE LOB BAPTA-BALLER BAPTA-BALLER BAPTA-BALLER BAPTA-BALLER BAPTA-BALLER BAPTA-BALLER BALLER BALLE | pon / Carlorad | 11. 9' 11-4-6n 10:5 178-(31:1) 20:5 178-(31:1) 20:7 10:7 10:7 10:7 10:7 10:7 10:7 10:7 1 | mk | 11-1 500 118- 2131 4531 -131 | CALIFER CF. 1C. 1544 | |
| Bertind MANN DARP BARR MB, TYPE LOB DEPTH BENCHER DEPTH BENCHER DEPTH BENCHER TYPE LOBORE ME NO TYPE LOBORE ME NO TYPE LOBORE ME NO TALK BEC THAN BECOMORE FF | p surseval From Cal Cold Food P | 11. 9' 11-4-6n 10:5 178-(31:1) 20:5 178-(31:1) 20:7 10:7 10:7 10:7 10:7 10:7 10:7 10:7 1 | mk | 11-1 500 118- 2131 4531 -131 | CE, 16 | |
| DATE DATE SAME INC. THE LOAD PAPEL FOR LOADING SOFTILOR LOADING FOR LOADING THE LOADING THE LOADING SOFTILOR LOADING SOFTILOR LOADING THE LOADING SOFTILOR LOADING THE LOADING SOFTILOR LOADING SOF | BOSS-MOLE S BOSS-MOLE S BOSS-MOLE S BOSS-MOLE S | 1 9 11-4-60 10:5 78-(A11) 23:7 36:2 36:2 36:2 36:2 36:2 36:2 36:2 36:2 | erk It | 11-1 700 - 6-2 - 63 - 63 - 63 - 63 - 63 - 63 - 63 - 63 | CF, TC, SM. | |
| BETLINE BRADE BATE BATE BATE BATE BATTLEBOALE BATTLEBO | BOSS-MOLE S BOSS-MOLE S BOSS-MOLE S SOUTH SERVICES | 11. 9' 11. 9' 11. 0'.5 10.5 10.5 10.7 10.7 10.7 10.7 10.7 10.7 10.7 10.7 | PO'R | 11-1 700 - 6-2 - 63 - 63 - 63 - 63 - 63 - 63 - 63 - 63 | CALIFER CALIFER CALIFER CALIFER CALIFER CALIFER CALIFER | |
| DATE SAME INC. SAME | BOSS-MOLE S BOSS-MOLE S BOSS-MOLE S BOSS-MOLE S | 1 9 11-4-60 10:5 78-(A11) 23:7 36:2 36:2 36:2 36:2 36:2 36:2 36:2 36:2 | PO'R | 11-1 700 - 6-2 - 63 - 63 - 63 - 63 - 63 - 63 - 63 - 63 | CALIFER CALIFER CALIFER CALIFER CALIFER CALIFER CALIFER | |
| BATE MAN ME MAN | BOSS-MOLE S BOSS-MOLE S BOSS-MOLE S SOUTH SERVICE SOUTH SERVIC | 1 9 11-4-60 10:5 78-(A11) 23:7 36:2 36:2 36:2 36:2 36:2 36:2 36:2 36:2 | PO'R | 11-1 700 - 6-2 - 63 - 63 - 63 - 63 - 63 - 63 - 63 - 63 | CALIFER CALIFER CALIFER CALIFER CALIFER CALIFER CALIFER | |

| EQUIPMENT DATA | | Tun No. | Diameter | Le List. | 4 | Source Malel No. | | | | Strength | LOGGING DATA | Gemma Rey | Te Sens him Arrest rate 3 C Sens | DESTRES | 2 7 7 |
|----------------|-------------|---------|----------|----------|----|------------------|---------|---|---|----------|--------------|-----------|----------------------------------|---------|--------------------|
| 1 | Kell Beller | 10000 | | - 1011 | ., | 1 | General | 1 | Ĵ | | | | Spred | THE CO. | SITE OVER PAY 1945 |










| | e ini | | | Y C | | 1 | |
|---------------|-------------|--|----------------|----------|------------|---------------|------|
| | | | 204 | <u> </u> | | Ŀ | 7/ |
| Ĩ | | A ENGIN | البدة | G. | 17:17= | 5 | 3 |
| | | | | | | | |
| HAM. | nma | r-Ru | Ų | | - C | ali | fice |
| | | | | COTTRAN | | | |
| | COM- C- Y. | 3207 | | | <u> </u> | | |
| | - WELL | | | | | | |
| | ~~~ | (KIZONA | 18.12 | N.C | | | |
| | -7ATE | / K : ZONA | | MC:Y | MAR1C | (10) | |
| | LECA PROMP. | LINE A.F. | | | | | man |
| | 1 | | | | | | |
| | <u> </u> | _ == | | - | | L | |
| ودعو اليحمد | | F.L. | | | | W. U. | |
| - | | (, , ,) | | - | | • /. | |
| | | 6.1. | | | —- I | | |
| 477 | | 11-24-8 | 5 1 | 11-39 | n- 86 | 7 | |
| | | ONE | | Tirel | | 7 | |
| 77 MP | | C/R-CA) | P7.1. | | ALIPLR | \mathbf{I} | |
| | | | | 4.70 | | | |
| - | | 141' | | 415 | 416. | | |
| **** | | | | 414 | | ┷- | |
| e pares and | | 11:10:1 | | 230' | | ┵ | |
| 4" to C 70.00 | | 50.510.1. | | EL:TO | 17.17.E | +- | |
| CP140 FT | | JET/10.JAC. | - | IAC (B | TTCH : | +- | |
| | | ₩R. K. | 2007. | 101 171 | 11114 | + | |
| | | | | <u> </u> | | -+ | |
| m i | HOM-HOLE | | | | C44-00 1 | | |
| | 704 | 7 | 4120 | wet. | CAL-HO T | | |
| 1 1.775 | 70* | 341 | 1.0 | | e-1; | | 201 |
| 2 3 | 3-11 | 4201 | | | 25 (5.2) | | 342 |
| | | T | 1 | | <u> </u> | + | |
| T | | 1 | | | | + | |
| | 1 | | | | | | |
| | | | | | | | |

| Total No. Control Co | | : | [| 1 | ١, | | Y VO DA L | V V | | | |
|--|--|--------------------|-------|---------|-----|--------------|-------------------|-----------------|---|-----|-------------|
| | | Run Vo | 10 | | Ι. | | Ì | | X | į | |
| | | Tent Model No. | L. H. | 1000 | | 1781 6. 177. | | | - | + | |
| Control Cont | | Diameter | 1 | 191/1 | 1 | - - | - | 100 | - | | |
| | | Detector Model No | | | 1 | <u> </u> | 1 | Diameter | | | - |
| Second S | Section Sect | 2,2 | | ž | ٤ | 1 | Ì | Names N | 1 | | 1 |
| | | 4 | | | | | <u>-</u> | 1 | - | | |
| Control Cont | Control Cont | Distance to N Sen | ě | | l i | _ | | 4 | | | + |
| 1 Park 100. Control Security Securit | Truck Month Control Security Secur | | | | | _ | | Terra Model No. | | - | + |
| Second S | Transfer Transfer | | | Concral | 1 | | | Serial No. | | | - |
| Sunger True Sunger Sun | Street Treet is Street S | House Truck No. | 1 | | | _ | | Spacina | - | | |
| | | Institutent Truck | Š. | | | | | <u> </u> | | - | |
| 1,000 1,00 | 1,000 1,00 | Tool Seriel No. | 1 | | | | | Shrath | | | |
| 1407.10 1407 | 1,000,100 1,00 | | | 1 | | 1 | - | | | | - |
| | | 1 | | | | 1 | LOGGING | PATA | | | |
| | From | - | 100 | | | | Camma Hay | | i | | |
| | | | | Į | Ü | | Zera | | - | | |
| 244 250 20 2 1104 pts 71 10 11 11 11 11 11 11 11 11 11 11 11 11 | 2407 27 70 7 1100 700 71 100 700 71 100 700 71 100 700 7 | 4 | ٤ | Š | š | Setting. | Die Las | | _ | | 7 K L W L |
| 444' 330' 20 2 189'/80' 21 70 | 444' 330' 20 2 189'/80 2 2 70 | | .0 | 1,7 | ~ | 1011/210 | Į. | E | + | | and ave and |
| Februer | Fabruse | 1 | 736 | ę | ~ | 100/300 | ī, | 2 | İ | { | |
| Fablue | Februar | | İ | | Ţ | | 1 | İ | - | | |
| Fatter | Fabruse | 1 | | Ì | | | | | - | ı | |
| February | Father | ! | | | 1 | ļ | 1 | - i | | ! | |
| Feb 1900 | Edd Der | Reference Literaly | | | ١ | | | | - | - 1 | |
| ent. | P44 100 | | | | | | | | | | |
| F43 10-00 | Feb non | | | | | | | j. | | | |
| Falling | Phillies | | - (| - | ĺ | | | | | | |
| | | Penarka | | | | | | | | | |
| | | | | ! | i | - | | | | | |
| | | | 1 | : | ! | | 1 | | | | |
| | | 1 | 1 | 1 | į | | 1 | | | | 1 |
| | | | | ĺ | 1 | | - | | | | |
| | | | - | - | : | | 1 | | 1 | | |
| | | | | | | | ŀ | | | | |
| | | | | | ł | | | | | | |







| and the same | 108 | egerative ending. | gg er state (a. | amique ig | | | | |
|---|---|--------------------------|---|---|--------------------------------------|---------------------------|---|---------|
| | VELSENGINE ELECTI | ERING ŠŪRI | EYS#\$ | Prodek 1.139.5. (RUN 1 Seit Down Hole | Other | RESISTIVITY ohms. m/m | RESISTANCE | |
| • | DMPANY BEYLIK RI NO. 108 RD LIKE AF | | | Changes | pernt Deta Tre Tool Peation | A S S S RES | | |
| | ATE ARTZONA | COUNTY | OTHER SERVICES CAMMA CALIPER | Te APLAP 11 40 IVA TLI CTRICAL Scale Depta 35 | Equi | minima (Electrica) | NORMAL Inch TOT TOT TOT TOT TOT TOT TOT TOT TOT TO | 1100 |
| Permanent Dutan: Log Kassared From Drilling Measured Fro Date Run Ha | 12/5/86 IWO | , ElevPL Above Perss. De | Elev.: K.B | First Log Conform BULL TO LACE INC. Type Log | Nen No. 7 | RESIST Ohms. | SHORT NORMA 16 linch LONG NORMA | 8 |
| Depth—Druier Depth—Logg or Bum, Log later, Top Log later, Casing—Druiler Casing—Logger Bit Sine | 420' 420' 419' 347' 6 5/8' 343' | • | • | This Reading 15-0.5 E-148: | | Ougsha | | |
| Type Fluid in Hole Dena. Visc. pH Fluid Loan Source of Sample Ru. @ Mass. Temp. Rui @ Mass. Temp. | N/A N/A PIT 25 | ml | • 'F • · | or Additional Samples | | IEOUS POTENTIAL militolis | - + | を変している。 |
| Rue @ Mean Temp. Source: Rue Rue Rue @ BHT Time Since Cire. Max. Roc. Temp. Equip., Location Accorded By Withstand Ep | 1 OK. N/A 1 TEME: COROLL EN S. OFFICE | • '7 | (F) (F) (F) (F) (F) (F) (F) (F) (F) (F) | Fid Here REMARKS VIII: Changes in Mud Type Date [Sample No. Depth - Driller | Dern. Viec. John Pluid Loss Ru | SPONTANEOUS millivo | 1 | |



| 10 | | аури | | :::I | | IRVEY | |) [|
|---|--|--|---|----------|--|----------|---------|--------|
| 30 | em: | | -Ra | | | · (1) | difi | ei – |
| | | | VO. 108 | | | | | |
| | - 1 | ~~a.a | EUKE AFR | | | | | |
| | | FIAM | ARTZO:A | | JANTY | HARTCOP. | | |
| | | 9Ca 1989. | Past | | | | 16-64 | |
| | - | r.: .;.i | | _; | | | | |
| *** | | | 12/4/85 | | 12/5/86 | | \Box | |
| | | | ME | | T=0 | | | |
| 100 | | | | LIPER | GAMMA | CALIPE | * | |
| | | | | | 420' | | | |
| | | | 360' 36 | 53. | 415' | 411 | + | |
| permedical permedical permedical | - | | 360' 36 | 93. | | 411 | 丰 | |
| serve des serves de ter sesses | | | 360' 36 359' 3! 0' | | 418' 417' 340' | | | |
| SOTTO LEGAL SOTTOM LE TOP LEGAL TYPE PLANS | | | 360' 36 359' 3' 0' WATER | ,a · | 416' 417' 340' WATER | 410 | | |
| serve idea serves id res serves rose serves and sec. 1 | ted tedep pro territory te mini | | 360' 36 359' 3' 0' WATER 374 | ,a · | 416' 417' 340' WATER | 340 | | |
| SOTTO LEGAL SOTTOM LE TOP LEGAL TYPE PLANS | tell bedeg per p berigger se many That', and | | 360' 36 359' 3' 0' WATER | 6. | 416' 417' 340' WATER N/A CORRELI | 340 | | |
| personal in the states were fine in the states and fact in personal in | tell bedeg per p berigger se many That', and | | 360' 36 359' 3' 0' WATER 37A CORRELL PR. K. S7* | 6. | 416' 417' 340' WATER N/A CORRELI | 340. | | |
| SOUTH LESS IN THE PARTY IN THE | tell bedeg per p berigger se many That', and | NOR-MOLE III | 360' 36 359' 3: 0' WATER 37/ CORHELL PR. K. S/* | J.ET.21. | 416' 417' 340' WATER N/A CORRELI | 340 | BICCOM) | |
| SOUTH LESS IN THE PARTY IN THE | bedge permitted to the control of th | | 360' 36 359' 3' 0' WATER 37A CORRELL PR. K. S7* | 6. | 416' 417' 340' WATER N/A CORRELI | 340. | | Me Cut |
| SOUTH LESS SOUTH AND LESS THE LESS SOUTH AND LESS S | manus mentales are manus mentale | NORTH NO. 4 TO THE | 360' 36 359' 3: 0' WATER 8/A CORHELL PR. K. S/* | 0. | 416' 417' 340' WATER N/A CORRELL S: S. M | 210' | É | |

| | | EQUIPMENT DATA | DATA | | | | | _ |
|---|----------------|----------------|------------------|-------------|--------------------|-----------|------------|----------|
| Camma | | | | | Neutron | | | |
| The Marie No. Caratal SA / 4 GCR | A GORDTALSAZZA | | flon No. | | | | | |
| | | | Tool Model No. | 1 | | | | |
| Type Length 18" 18" | | | Determ Model No. | 11 | | | | |
| Instance to N Source | | | Sagre Medel No. | <u> </u> | | | | |
| Host Truck No | | Ħ | S. Paring | 11 | | | | |
| Instrument Truck No. | | | Strength | <u> </u> | | | | |
| 1 | 1 | I DEGING DATA | PATA | - | | | | |
| | | Garners Ray | | | | | | _ |
| Perthe | Settings | Die 1. nr R | Att G.R Units | ر ب پر خ | Set in F. | Per Las R | APLN Units | |
| 1 1 mm 1 mm | | 2 | Ę | I | | | | _ |
| 3.0 | 100/501 | 41. | 0/ | | | | | _ |
| | | | | 1 | | | | |
| | 1 | | | I | | | | ٠. |
| | | | | | | | | |
| Reference Lilerature | | | | | | | | _ |
| | | | | | | | | |
| | | | | | | | | |
| Remarks | | | | Ì | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | Fold Here | 1 | | | | | <u> </u> |
| | | | | Ì | | | | _ |
| CASSIA APT HITTS | ОЕРТИЗ | i | CALIFE | RIN | CALIFFR IN TRUBES. | | | |
| | | | | | | | | |
| (II) | | | | | | | : | 1 |
| | | | | 1 | | E- | | 1 |
| | | | | | - | 1 | | t٦ |
| 1 | _ | | - | | | | | _ |






| GANDARA - PRAY - CHIPPER STATE AFILTING INC. | GOVERNMENT OF THE PARTY OF THE | | CMI | | | (6 | (6) | | <u></u> | |
|--|---|---------------|---------|------------|------------|--------|-----------|---------------|-------------|------------|
| COMMAND SP'LIK FILLING, INC. | COMMAND SETTIN FAILING, INC. | | | | ر آرزوق | nosi | DV₽ | | | 接 |
| | S 109 | \mathscr{G} | anın | ra-G | Raz | 7 | Cú | lifter | | |
| DINE A.F. P. | | | CO | SEYLIK I | 6714 195 | INC. | | | | 3 |
| | | | - | \$ 109 | | | | <u> </u> | | 3- |
| | | | - | LIRE A.F | . e. | | | | | 1. |
| C.L. | 16-64 E-107 16-14 E-107 | | | ARIZONA | ~ | ~~~ | MAR I COS | ·* | | |
| C.L. | C.L. | | | | | | | - | | ۲. |
| C.L. | C.L. | | | | • | | | | | <u> </u> |
| C. L. | C C C C C C C C C C | 1.1 | J == | | <u> </u> | | | 6. LATERAL | ٠ : | 1 |
| C.L. | | - | | | | ~ | - | w. u | | - |
| ONE | OPE | - | Red | | | | | ** | | 1: |
| ONE | OPE | | | I 11-17-86 | | 11-13- | >6 | | | 7 |
| | 255 270 | | | ONE | | 740 | | | | 1 |
| | | | | | Y CALIF | | C/1/1 | <u>-</u> | <u>·</u> | 13 |
| | | | | | 7711 | | 456 | | | 1 |
| No. 10 10 10 10 10 10 10 1 | Company Comp | | - | 370' | 365' | 4451 | 445 | 1 | | 1 |
| Description | N/A | - | - | | 0, | | 37C' | | | 1: |
| | | | | | | | | _ | | 10 |
| CANSE O'CE PULL PENTER | CANSIE JONES | | | | | | | - | | 1 |
| T. STATE CLAIM BCCSD CAMB | 1. CTV.T.S | | | | OWES | | | | | 1." |
| 10 1 10 10 10 10 10 10 10 10 10 10 10 10 | 1 2 7 2 2 2 2 2 2 2 2 | | | | | | | + | | 1 1 |
| 1 4 7/4 70' 255' 10 3/4 (055) 0' 20' 4 | 1 2 7/5 2 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 81,000 | NON-BOM | teco= | 1 | | CANING | MCORD | | 10 |
| <u> </u> | 2 6" 252" 470" 6 578 0" (120" - | | 7004 | | - | T 1 | *** | • | м |] . |
| 2 6" 367' 670' 6 5/8 10' 110' 7 | | | | | | | | | | 1 |
| | | | 34.7 | 770, | 15 5 18 | 4 | 10* | نغـــاـــ | ٠,٠- | 4 |
| | ! | | | | | | | 1 | | I |


| EQUIPMENT DATA | 1 | 10 10 10 10 10 10 10 10 | Pr() | CALIPUR | HOLE DEAM, IN THEFES | |
|----------------|---------------------------------------|--|-------|------------------|----------------------|--|
| Grows Ray | 10 10 10 10 10 10 10 10 | A CAN CANTENING TO SERVICE STATE OF THE SERVICE STA | | GANGA RAY DEPTHS | APT CARRY RAY IDITS | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |






| | _ | | | | | • | the growing and the second second |
|--|-------------------------------------|---|--|--|---------------|-----------------------------|-----------------------------------|
| ELECTRIC LOG COMPANY REVIEW DELIVER JUL WELL # 100 HELD LIVE & F. R. | | is Charges Seale Ly Mole Leave Down Rafe | mean Path 1 2 Fall on 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | RESISTIVITY ohms. m im | | RINSTANCE Detail Corve | |
| STATE | abig and Log Contorm to API NP 21 9 | End Pays See See See See See See See See See Se | En M. Ved Tree Field 19 10 10 10 10 10 10 10 10 10 10 10 10 10 | RESISTIVITY Ohms. m ² /m | SPIGKT NURNAL | LONG NORMAL 0 M Inch 100 | |
| Dun Log Inter. 37.5" -1.4" | ž | | | Duptha | | | |
| Proceedings Proceedings Proceedings Proceedings Proceedings Procedure Process Pr | | Charges in Ned Type or Additional Samples Dies Sample No. Front - Driller Front - Tree Paid in Ruis | Dies Vive | SPONTANEOUS POTENTIAL Militalia | İ | , | |


- - -






. . .


| ELECTRIC LOG | Overes | ACSISTIVITY Ohms m/m | |
|--------------|--|---------------------------------|--|
| 1747 | 1.7.7.7. 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1 | BESSIVITY SAME WINGS | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ |
| | Private State Control of the Control | SPUNTANEOUS POTENTIAL militedia | |







| | E | - WEL | P.E. | 기르하 | VG S | JRVĚY | | | | | | | | | | - |
|----------------|---------------------------------------|-----------|-------------------------------|-----------------|--------------------------------------|---------------------------|---------------------------|----------------|--------|-----------|--------------------|--------------------------------|-------------|------------------|-----------------|-----------|
| €. | Ga | mm | a-Fi | <u>_</u> _ | | Cal | iper | | Netros | | | | | | | |
| | | MAPL | € 110 LIME A.F. ARIZONA | 8. | | HARTCOPA | | | | | Tool Model No. | | repair No. | 36 | 1 | 1 |
| | | - | G.L. C.L. | | | L PATER | 16-64 E-1/G 6' LATERAL | EQUIPMENT DATA | | Type 7 | Tool Model No. | | Source More | Sparing | Aprinth | ATAG DATA |
| 94/3 1779 (| 8. 60 60 | | 11-14-86 OVE | LIPER | 11-16- T#0 CAPTIA 430* | B6 CALIPE | | 1.0 | | | | | 1 | | | |
| | ,00000 1 1 (00000 1 10000 10711 | NA. | 358' 35 0' 0' WATER | | 430' 429' 340' WATER N/A | 426' 425' 340' | | | 2 | C27 K41.D | | | | - | 12.5 | |
| - | HE ST | 100 POL 1 | ROMERTI CHE 15 KRU | ** | ROBER T. RO | TI URIGUEZ S/MUELSU | | | Святе | CZZKALD | <u>ا</u> | | Conera | | 13.7 | |
| | 9 7/9" | 20' | 306' | 10 3/6 6 5/8 | | 0, | | | | Kndrl Ne. | Detector Model 14s | Length Distance to N Source | 1 | Ilnist Truck No. | Tool Serial No. | |


| | | | | | | | | | Manager 8 | | |
|--------------|-----------------------|--------------|----------|------------|------------|-----------|---|------------|----------------------|-------------|--------------|
| Par P | | 130 | - | | L | | | - | | | |
| | | | 1 | | | | 100 | - | | | |
| X look | Teal Madel No. | C27X4LD | | C27K41D | 9 | | LAR Type | | | | |
| Ē | Dameter | | | (| | | Tool Model Ne. | | | | |
| 2 | Petector Model 148 | | | | | | Dameler | <u> </u> - | | | |
| Ě | £ | CINT | | TEL 18 | | | Detector Mailel No. | | | | |
| = | Length | T | į | | - | | T, P. | | | | |
| Betan | Distance to N Source | | 1 | 1 | - | | l'ang'h | - | | | |
| 1 | | | 1 | | | | Source Mortel No. | | | | |
| Ì | | | i bareal | | | - | Seriel No. | | | | |
| į | Haist Truck No. | LCV-1 PNX | Т | - 7 | - | | Sparing | | | | |
| 5 | 2 | | Ť | ٦- | L | | 1 114 | | | | |
| 7. | Teel Serial No. | 133 | | 153 | | | Almostik | | | | |
| | | | + | | | | | H | | | |
| | | | | | | NECTIN | LOCGING DATA | | | | |
| | Bananan | - | | | | Camma Ray | | - | | Neutron | |
| Rus | Dr. the | | Poud. | 1.0 | Sens. | - | APIGR Units | _ | | 7,679 | APT N. Units |
| ģ | From | ٠ | FY/Min | | Settinge | Div Lor R | R perton Div | ž. | Settings | Div L. ne R | per Log Div |
| | H | 0 | 2 | _ | 1007,200 | - ' | 12.5 | L | | | |
| Ī., | - | 1.0 | 2 | - | 000/00 | ╀ | 1 2 2 | L | | | |
| Ī | - | | Ī | | 1 | Ļ | | L | | | |
| i | | | | | | | | | | | |
| T | | | | | | | | Ļ | | | |
| Γ | | | | | | L | | L | | | |
| 3 | Reference Lilerature. | | | $] \mid$ | | | | | | | |
| | - 1 | | | | | | | | | | |
| il | | | | | | | | | | | |
| Remarks | 1 1 | RAY AND | 3 | 5 | IC CHRATIC | PNS SAME | CABIN RAY AND CALIFFE CALIBRATIONS SAND FOR MIN'S OME | ONL GNY | NO. | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | Pold | Fold Here | | | | |
| ١ | | | İ | l | l | | | | | | |
| | CAMPL | CAMPLA RAY | | | регия | | | CALIFER | PER | | |
| ءِ | APT GAMM RAY HNITS | RAY I'NITS | | = | | | 101.5 | PIAH, | HOLE DIAM. IN INCHES | | 1 |
| ₹ : _ | | | 1 3 | 27- 40- | 12.5 | | | ءَ ا | | - <u>-</u> | Take 1 |
| 1 | 11. | ; ; ; ; ; | į | | - | | 11! | | - | - | : |
| _ | | - | | 7 | _ | - | | | | İ | |






| | MEN ENG | OF G | HVEUS AND | | | Scate Down Hole | Öther | | SISTIVITY ims. ni'/m | · | RESISTANCE Detail Curve | | |
|--|-----------------------------|--|--|-----|---------|--|--------------------|----------------------------|--|------------------------|----------------------------|------------|--|
| , | √£ (1 | E A.F.B. | MAETICOPA | | | Scale Changes Scale Up Hole | Equipment Data | 1.040 | RESIST ohms. | 100 | RESIS 100 | 100 | |
| Fermanert Datum: Log Manured From Drilling Measured From Run Na. Depth—Drillier Lopple—Logger | C.L. | | Other Stevicts 6' LATER (AMMA RA CALIPER Elev: K.B. D.F. G.L. | \r | | Type Log Depth | Run No. Tool Type | | RESISTIVITY ohms. m ⁱ /m | SHORT NORMAL . 16 Inch | LONG NORMAL 64 Inch | | |
| Pitm. Log Inter. Top Log Inter. Casing—Puller Casing—Logger | 237' 55' 16 3/4 | 2 41 3021 5 5/8 € 3501 | • | • F | | | | 3-66 | Depths | | | | |
| Pit Sine Type Fluid in Hole Dena. Visc. ph Fluid Lone Sourre of Sample Ru @ Mean Temp. Ru @ Mean Temp Source. Ru Rusa. Temp Source. Rus Rusa. | | 5" | e 'F e 'F | | REMARKS | Chages in Nud Type or Additional Samples Date Sample No. Det th—Dailer Type Poud in Hote | inc. d Loss T anp. | Meas Temp. Han Rac Han Rac | SPONTANEOUS POTENTIAL millyolts | , <u>*</u> | | | |







| EVELONIEM COMPANDED TO SELECTRIC LOG | | Serie Door Hote | Öhvi | RESISTIVITY ohms. m/m | | | |
|--|-------------------|-----------------|--|----------------------------------|------------|---|--------|
| | | Scale Changes | Tolleant bus | RF Su | | | |
| Permanent Detunt U. | anterna To Art Ar | Type Co. Derit | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | RESISTIVITY ohms, mim | 0 : ATTRAL | 7 | \ \ |
| Try Log Inter. 54. 57.6 57.6 Example Printer 120.3 D 10.1 D 37.0 150.1 D 37.0 D 57.0 D | ž Ž | | | Depths | | | |
| Dicks | , MRKS | to Sample No. | The state of the s | SPONTANEOUS POTENTIAL millirells | İ | | |



. . 3 5 LATLRAL λ^{\wedge} Run 2 400

| | | | Let A ATIA Undu | | £ | |
|---|--|---|-----------------|-----------|-------------------|--|
| Gamma-Ray Califier Company EFYLIK DRILLING, INC. | Review Arthur DATA | Par No. No. No. No. No. No. No. No. No. No. | | Pad ilere | CALIBER IN INCHES | |
| New Set | The second section of the second seco | Common Rev. Cont. | | | DEPTHS 175 DEPTHS | |





| EMELENGINES IN ELECTRIC LOG | C. R. W. W. W. | | | a Other | | | | | RESISTIVITY | m, m,/m | 1000000000000000000000000000000000000 | RESISTANCE Detail Curre | The state of the state of | A 40% DOMEST | | | | | | | | - |
|--|--|----------------|-----------|---|-----------------|-----------|---------|--|-----------------------|-------------|---------------------------------------|-------------------------|---------------------------|--------------|--------------------|-------------|-------------------|----|----|----------|------------|---------|
| COMPANY PEYLIK RELLIAND, 1ND, WELL FILL FRED LINE AFB STATE FLANDA COUNTY MARICOPA | Male Changes | \$ | | September Date Full Type Tool Position | PRES | | | | i i | | 961 | | 100 | | | | | | | Υ !:: | | ~ |
| Octobro | 100 | | | F dans No. Tool Type | TWO 16-64 E-100 | | | | RESISTIVITY 3 | ohms. m/m i | FL 2 SHOR NORMAL 4 | LONG NORMAL | | | | - T | | 八上 | | | | |
| | 3 | | - | • | • | | | | Dept | - | | | | 11. | .1 <u>!!</u> .* | | 1111 - 1111 | | !· | 1 | Ç | 3 |
| Dept. Vot. V/A V/A | REMARKS. Changes in Red Type or Additional Basept Rose Securit Ma. | freih. Driller | Lune Visc | Searce of Sample No. of Mone Tomp | L. & Kr. Jany | R. 6 Part | 7 6 247 | | SPONTANEOUS POTENTIAL | Milliotte | | | 60.12.5 | | V | \ \ - | ֻ\ | 7 | N | \ \ | \ <u>\</u> | 1. A. + |

